



**RISK ASSESSMENT – HUMAN WRECKING BALL**

HAZARD	EXISTING CONTROL MEASURES	HARM (1-5)	LIKELY HOOD (1-5)	RISK (1-5)	FURTHER CONTROLS TO REDUCE RISK	RISK ACCEPTABLE Y/N
Over enthusiastic participants	Supervision at all times	1	1	1		YES
Participants being fallen on	Supervision at all times	1	1	1	No more than four on the inflatable at the same time. No sitting around the edges.	YES
Larger participants over powering smaller participants	Adult supervision at all times.	1	1	1	Participants put into groups of similar size.	YES
Tripping over anchorage points/spare equipment/electrical cable	All anchor points used as per manufacturers instructions and cables taped to the ground	1	1	1	In event of large numbers of participants attending, additional safety fencing erected. Where possible electrical cable does not cross any public pathway. If unavoidable cable erected overhead or covered.	YES
Facial hits	Participants briefing before participating	1	1	1		YES
<b>RISK ASSESSMENT CARRIED OUT BY:</b>	Brian Auty		<b>DATE:</b> 16/03/2022	<b>ANY OTHER ACTION REQUIRED:</b>	Ensure that operators follow all 'Operating Instructions' as supplied Or Active Hire to provide experienced staff for safe equipment supervision	

**THE ABOVE INFORMATION IS BASED ON MAUFACTURERS CRITERIA AND EXPERIENCE FROM EXTENSIVE USE OF EQUIPMENT.**